



DUMONT

SPECIAL PURPOSE
TELESETS*

RADIO PARTS & EQUIPMENT CO.
3319 North Broad Street, Phila., Pa.
PHONE, RADCLIFF 3322

The DU MONT "CLUB"

A modern-styled combination television standard broadcast and FM receiver especially designed for clubs, schools, lecture halls, game rooms, cocktail lounges, taverns, restaurants, etc. Brilliantly clear, large-size television pictures on wide-angle, direct-view 15" cathode-ray tube, pictures 12 $\frac{3}{4}$ " wide by 9 $\frac{1}{4}$ " high, 121 square inches. Exquisite FM tone. Control panel concealed, and provided with lock, to discourage meddling guests. The amazing new Du Mont Inputone* assures instant, accurate tuning of all 13 television channels and all FM stations. Tone selector provides choice of tone qualities ranging from accentuated treble to very low bass. 10" oversize symphonic speaker. 31 tubes including 15" diameter Du Mont cathode-ray picture tube. Cabinet finished in mahogany or neutral gray (suitable for painting); 30" wide, 26" high, 26" deep at top, 21 $\frac{1}{2}$ " deep at base.

The cabinet is designed for shelf-mounting or overhead suspension.

The installation of more than one receiver in a location, permits the reception of more than a single telecast simultaneously.



The DU MONT "CUSTOM"

Du Mont has designed these Teleset* chassis for special installations where cabinets are not required or are undesirable.

Providing the world's largest direct-view screen television as well as AM (standard broadcast) and FM reception as well, this model may be installed within wall space with the television screen, control panel and speaker grille mounted flush with the wall. The flexibility of the installation is such that the screen may be placed high on the wall to provide maximum viewing groups, and the control panel low for ease of operation.

Recommended for taverns, clubs, cocktail lounges, hotel lobbies, schools, etc.

The television screen is 20" in diameter, the picture is 17½" x 12½" — 222 square inches brilliantly clear, directly-viewed from any angle of the room. The exclusive Du Mont Impurmer* assures instant accurate tuning of all 13 television channels and all FM stations. Push-button controls are provided for tuning the AM radio and for tone selection. 12" symphonic speaker for exquisite audio reception.

A 12 foot cable between viewing tube and control panel allows great flexibility of arrangement. Control panel may be located out of the reach of the public. Same chassis as the famous Du Mont "Westminster".


The installation of more than one receiver in a location, permits the reception of more than a single teleset simultaneously.

DIMENSIONS:—Cathode ray tube chassis — 22" high, 22" wide and 32½" deep. Frame— 28½" x 33½". Control Panel chassis—40" high, 21½" wide, 18½" deep. Speaker—Circular— 12" diameter, frame approx. 17" x 25".

* Trade Mark



Speaker and
Frame



Receiving Tube
Chassis and Frame



Control Panel
Chassis and Frame



Typical Installation

DU MONT

First with the Finest in TELEVISION

ALLEN B. DU MONT LABORATORIES, INC.

PASSAIC, NEW JERSEY

RECEIVER SALES OFFICES

515 MADISON AVE.

NEW YORK 22, N. Y.

RADIO PARTS & EQUIPMENT CO.
3319 North Broad Street, Phila., Pa.
PHONE, RADCLIFF 3322

*Trade Mark